



PRODUCT CATALOGUE

Volume -2



PUL PUL MANUFACTURER

A Complete Range of Hospital Furniture

Company Profile

1. Pul Pul Manufacturer

is one of the leading suppliers of high quality furniture in Assam. We are a pioneer in the industry offering the market greater choice, innovative and ergonomic designs as well as environmentally friendly furniture.

Since Our humble inception in 2000, the Organization has grown from strength to strength. Pul Pul Manufacturer started its establishment on Prafulla Boro Path, Rupnagar, House No:2, Guwahati - 32. From the very beginning, the Organization has focused on its core principles of customer service, quality, value for money and innovation, and it is these principles that have enabled the group to gain the trust of customers.

Today, the group employs over 100 people, operating 2 showrooms and 2 workshops in Guwahati. We also have showrooms in Nowgaon and Chipajhar.

On the manufacturing front, we have continued to invest in new technology and machinery to continue its popular pace with new designs and styles to suit clients needs. In particular, we have invested in post-forming machinery, technology to work with Corian® material as well as other woodworking machines.

Having established itself as a market leader for office furniture, the group has also continued its growth strategy and has developed additional lines that include Kitchens and Wardrobes, Joinery & Fit outs and Custom-Made furniture.

2. Products

a) **Office furniture** - We offer a wide range of Office systems and chairs that are flexible, dynamic and ergonomic. We understand your needs & requirements and provide solutions to fulfill them.

b) **Storage solutions** - Metal cabinets, Bulk filing & safes. With the increasing demand for space, we offer great solutions to conveniently store data, records, archives & equipment in an organized manner.

c) **Custom-made furniture** - We are specialists in custom-made furniture. With our state-of-the-art workshop, and skilled personnel, we are able to recreate special designs in quality finishes.

d) **Hospital Furniture** - We provide a wide range of Hospital Furniture Such as Hospital Bed Plain, Fowler position, semi Fowler, ICU Hospital Bed, Fowler Bed etc.

3. **Services** We Provide 24X7 Services

a) PROJECT MANAGEMENT

Our project management services provides clients with a one stop shop where we can work with you to design, build and manage complex office furniture projects for you. We will handle your full project so as to manage the design and layout of your office space, the interior fit out, logistics and installation of your office furniture.

b) OFFICE FIT OUTS

We bring inspiration into your office by transforming your existing space to beautiful work spaces that are practical and functional. Our office fit out services includes:

- Office designing and planning
- Aluminum & Glass and Gypsum Partitioning
- Acoustic Ceilings
- Raised Floorings
- Carpeting and Blinds
- Door and Window Frames



Company Profile

c) DESIGN & CONSULTANCY

We can help you design your perfect office. And create your perfect space. We measure your space, identify your requirements to design and create an ideal plan to suit your needs.

d) CUSTOM MADE FURNITURE

Find inspiration for your office by building precise furniture that complements you're surrounding and creating flexibility in your office. Our passion is to build and deliver customized traditional or modern and contemporary furniture that leaves all our clients inspired.

e) JOINERY

We stock joinery materials that can be easily made to complement your hospital/ office needs and transform any existing or new office/hospital space into smart working environments. Joinery services we provide include:

- Flooring solutions
- Cabinets
- Doors, panels, frames and skirting

4. ACHIEVEMENTS

We have successfully completed work awarded to us by following clients

- Guwahati Medical College
- Jorhat Medical College
- Dibrugarh Medical College
- Tezpur Medical College
- Gauhati Cancer Hospital
- Lakhimpur medical college
- Diphu medical college
- Assam Aids Control Society
- Regional Ayurveda Resarch Institute for GID
- Atal Amrit Aviyan
- Goalpara Sainik School
- Directorate of Technical Education
- Cotton University
- Guwahati university
- NRC
- NIT, Silchar
- Barpeta Medical College
- GMC 200 Bed COVID ICU
- etc

QUALITY: We are also certified /awarded with CE, BIFMA, OHSAS 45001:2018, ISO 9001:2015, ISO14001:2015, Green gaurd & ISO13485:2016





INDEX

Sl. No.	PARTICULARS	PARTICULARS
1	HOSPITAL BEDS	
2	ATTENDANT BEDS	
3	LABOUR DELIVERY BEDS	
4	EXMINATION TABLES	
5	PATIENT TRANSFER TROLLEYS	
6	O.T. TABLES	
7	WARD/O.T. EQUIPMENT	
8	O.T. LIGHTS	
9	INVALID WHEEL CHAIR & WALKING AIDS	
10	SUCTION UNITS	

PPM-201

Motorized Hi-Low ICU Bed Premium (with Phenolic Base Laminated Top)

Hospital Beds



- ▮ Main Frame made of rectangular CRCA pipe.
- ▮ Four sectional Phenolic base laminated sheet top.
- ▮ Advanced linear actuator system to obtain all positions.
- ▮ Heavy ABS head and foot panels with locking and corner buffer.
- ▮ Four pieces individual ABS side safety railing.
- ▮ Bed mounted on 125 mm special double castors/wheels.
- ▮ Holder for urine bag.
- ▮ S.S. telescopic I.V. rod with four location.
- ▮ Pre-treated and epoxy powder coated.
- ▮ Positions obtained by hand remote:
(1) Hi-Low (2) Back-rest elevation (3) Knee-rest elevation
(4) Trendlenburg & reverse trendlenburg

PPM-202

Motorized Hi-Low ICU Bed Premium Plus (with Phenolic Base Laminated Top, with Mattress & Base Cover)



Overall size: 2030 L x 990 W x 558-762 height adjustable in mm.

PPM-203 Motorized Hi-Low ICU Bed Royal

- Main Frame made of CRCA pipe & four sectional perforated CRCA sheet.
- Advanced linear actuator system to obtain all positions.
- ABS head and foot panels.
- Four pieces individual ABS side safety railing.
- Bed mounted on 125 mm special double castors/wheels.
- Holder for urine bag.
- S.S. telescopic I.V. rod with four location.
- Pre-treated and epoxy powder coated.
- Positions obtained by hand remote:
 - (1) Hi-Low
 - (2) Back-rest elevation
 - (3) Knee-rest elevation
 - (4) Trendlenburg & reverse trendlenburg



Overall size: 2030 L x 990 W x 558-762 height adjustable in mm.

PPM-204 Motorized Hi-Low ICU Bed Unique with Chair Position

- Main Frame made of CRCA pipe & four sectional perforated CRCA sheet.
- Advanced linear actuator system to obtain all positions.
- ABS head and foot panels.
- Four pieces individual ABS side safety railing.
- Bed mounted on 125 mm special double castors/wheels.
- Holder for urine bag.
- S.S. telescopic I.V. rod with four location.
- Pre-treated and epoxy powder coated.
- Positions obtained by Electric Hand Remote:
 - (1) Hi-Low
 - (2) Back-rest elevation
 - (3) Knee-rest elevation
 - (4) Trendlenburg & reverse trendlenburg
 - (5) Chair Position



Overall size: 2090 L x 990 W x 558-762 height adjustable in mm.

PPM-205 Motorized Hi-Low ICU Bed Super

- Main Frame made of CRCA pipe & four sectional perforated CRCA sheet.
- Advanced linear actuator system to obtain all positions.
- ABS head and foot panels.
- Collapsible type six step side safety railing.
- Bed mounted on 125 mm special double castors/wheels.
- Holder for urine bag.
- S.S. telescopic I.V. rod with four location.
- Pre-treated and epoxy powder coated.
- Positions obtained by Electric Hand Remote:
 - (1) Hi-Low
 - (2) Back-rest elevation
 - (3) Knee-rest elevation
 - (4) Trendlenburg & reverse trendlenburg



Overall size: 2090 L x 990 W x 558-762 height adjustable in mm.

PPM-206 Manual Hi-Low ICU Bed Premium (with Phenolic Base Laminated Top)

- Main Frame made of Rectangular CRCA pipe.
- Four sectional Phenolic base laminated sheet top.
- Heavy ABS head and foot panels.
- Four pieces individual ABS side safety railing.
- Bed mounted on 125 mm special double castors/wheels.
- Holder for urine bag.
- S.S. telescopic I.V. rod with four location.
- Pre-treated and epoxy powder coated.
- Positions obtained by Manual Crank System:
 - (1) Hi-Low
 - (2) Back-rest elevation
 - (3) Knee-rest elevation
 - (4) Trendlenburg & reverse trendlenburg



Overall size: 2090 L x 990 W x 558-762 height adjustable in mm.

PPM-207 Hi-Low ICU Bed Manual Royal

- Main Frame made of CRCA pipe & four sectional perforated CRCA sheet.
- Manual crank system to obtain all positions.
- ABS head and foot panels.
- Four pieces individual ABS side safety railing.
- Bed mounted on 125 mm special double castors/wheels.
- Holder for urine bag.
- S.S. telescopic I.V. rod with four location.
- Pre-treated and epoxy powder coated.
- Positions obtained by Manual Crank System:
 - (1) Hi-Low
 - (2) Back-rest elevation
 - (3) Knee-rest elevation
 - (4) Trendlenburg & reverse trendlenburg



Overall size: 2090 L x 990 W x 558-762 H adjustment in mm.

PPM-208 Hi-Low ICU Bed Manual Super

- Main Frame made of CRCA pipe & four sectional perforated CRCA sheet.
- Manual crank system to obtain all positions.
- ABS head and foot panels.
- Collapsible type six step side safety railing.
- Bed mounted on 125 mm castors/wheels.
- Holder for urine bag.
- S.S. telescopic I.V. rod with four location.
- Pre-treated and epoxy powder coated.
- Positions obtained by Manual Crank System:
 - (1) Hi-Low
 - (2) Back-rest elevation
 - (3) Knee-rest elevation
 - (4) Trendlenburg & reverse trendlenburg



Overall size: 2090 L x 990 W x 558-762 H adjustment in mm.

PPM-209 Hi-Low ICU Bed Manual Deluxe

- Main Frame made of CRCA pipe & four sectional perforated CRCA sheet.
- Manual crank system to obtain all positions.
- S.S. Head and leg bows with laminated wooden panel.
- S.S. swing away type side safety railing.
- Bed mounted on 150 mm special castors/wheels.
- Holder for urine bag.
- S.S. telescopic I.V. rod with four location.
- Pre-treated and epoxy powder coated.
- Positions obtained by Manual Crank System:
 - (1) Hi-Low
 - (2) Back-rest elevation
 - (3) Knee-rest elevation
 - (4) Trendlenburg & reverse trendlenburg



Overall size: 2090 L x 990 W x 558-762 H adjustment in mm.



PPM-210 ICU Bed Manual Super

- Main Frame made of CRCA pipe & four sectional perforated CRCA sheet.
- All positions obtained by manual crank system.
- ABS head & leg side panels.
- S.S. swing away type side safety railing.
- Bed mounted on 125 mm special castors/wheels.
- Holder for urine bag.
- S.S. telescopic I.V. rod with four location.
- Pre-treated and epoxy powder coated.
- Positions obtained by Manual Crank:
 - (1) Back-rest elevation
 - (2) Knee-rest elevation
 - (3) Trendlenburg & reverse trendlenburg



Overall size: 2090 L x 990 W x 558 in mm.



PPM-211 ICU Bed Manual Deluxe

- Main Frame made of CRCA pipe & four sectional perforated CRCA sheet.
- All positions obtained by manual crank system.
- S.S. head and leg side bows with laminated wooden panel.
- S.S. swing away type side safety railing.
- Bed mounted on 150 mm special castors/wheels.
- Holder for urine bag.
- S.S. telescopic I.V. rod with four location.
- Pre-treated and epoxy powder coated.
- Positions obtained by Manual Crank:
 - (1) Back-rest elevation
 - (2) Knee-rest elevation
 - (3) Trendlenburg & reverse trendlenburg



Overall size: 2090 L x 990 W x 558 H in mm.



PPM-212

Motorized Fowler Bed Premium

(with Phenolic Base Laminated Top)

- Main Frame made of rectangular CRCA pipe.
- Four sectional Phenolic base laminated sheet top.
- Advanced linear actuator system to obtain all positions.
- ABS head and foot panels.
- Four pieces individual ABS side safety railing.
- Bed mounted on 125 mm special castors/wheels.
- Holder for urine bag.
- Four location for I.V. Rod.
- Pre-treated and epoxy powder coated.
- Positions obtained by Electric Hand Remote:

(1) Back-rest elevation (2) Knee-rest elevation



Overall size: 2090 L x 990 W x 558 H in mm.



PPM-213

Motorized Fowler Bed Royal

- Main Frame made of rectangular CRCA pipe.
- Four sectional Perforated CRCA sheet.
- Advanced linear actuator system to obtain all positions.
- ABS head and foot panels.
- Collapsible type side safety railing.
- Bed mounted on 125 mm special castors/wheels.
- Holder for urine bag.
- Four location for I.V. Rod.
- Pre-treated and epoxy powder coated.
- Positions obtained by Electric Hand Remote:

(1) Back-rest elevation (2) Knee-rest elevation



Overall size: 2090 L x 990 W x 558 H in mm.



PPM-214

Fowler Bed Manual Super

- Main Frame made of CRCA pipe & four sectional perforated CRCA sheet.
- Manual crank system to obtain all positions.
- ABS head & leg side panels.
- Four pieces individual ABS side safety railing.
- Holder for urine bag.
- Four location for I.V. Rod.
- Pre-treated and epoxy powder coated.
- Positions obtained by Manual Crank System:

(1) Back-rest elevation (2) Knee-rest elevation



Overall size: 2090 L x 990 W x 558 H in mm.



PPM-215 Fowler Bed Manual Super RW

Hospital Beds



- Main Frame made of CRCA pipe & four sectional perforated CRCA sheet.
- Manual crank system to obtain all positions.
- Bed mounted on 125 mm special castors/wheels.
- Collapsible type six step side safety railing.
- ABS head & leg side panels.
- Holder for urine bag.
- Four location for I.V. rod.
- Pre-treated and epoxy powder coated.
- Positions obtained by Crank System:

(1) Back- rest elevation (2) Knee-rest elevation



Overall size: 2090 L x 914 W x 558 H mm.

PPM-216 Fowler Bed Manual Super R



- Main Frame made of CRCA pipe & four sectional perforated CRCA sheet.
- Manual crank system to obtain all positions.
- Collapsible type six step side safety railing.
- ABS head and foot panels.
- Holder for urine bag.
- Four location for I.V. rod.
- Pre-treated and epoxy powder coated.
- Positions obtained by Crank System:

(1) Back-rest elevation (2) Knee-rest elevation



Overall size: 2090 L x 914 W x 558 H mm.

PPM-217 Fowler Bed Manual Super



- Main Frame made of CRCA pipe & four sectional perforated CRCA sheet.
- Manual crank system to obtain all positions.
- ABS head & foot panels.
- Holder for urine bag.
- Four location for I.V. rod.
- Pre-treated and epoxy powder coated.
- Positions obtained by Crank System:

(1) Back-rest elevation (2) Knee-rest elevation



Overall size: 2090 L x 914 W x 558 H mm.

PPM-218 Semi-Fowler Bed Manual Super **RW**



- Main Frame made of CRCA pipe & two sectional perforated CRCA sheet.
- Manual crank system to obtain back-rest position.
- Bed mounted on 125 mm special castors/wheels.
- Collapsible type six step side safety railing.
- ABS head & leg side panels.
- Holder for urine bag.
- Four location for I.V. rod.
- Pre-treated and epoxy powder coated.



Overall size: 2090 L x 914 W x 558 H mm.

PPM-219 Semi-Fowler Bed Manual Super **R**



- Main Frame made of CRCA pipe & two sectional perforated CRCA sheet.
- Manual crank system to obtain back-rest position.
- Collapsible type six step side safety railing.
- ABS head & leg side panels.
- Four location for I.V. rod.
- Pre-treated and epoxy powder coated.



Overall size: 2090 L x 914 W x 558 H mm.

PPM-220 Semi-Fowler Bed Manual Super



- Main Frame made of CRCA pipe & two sectional perforated CRCA sheet.
- Manual crank mechanism to obtain back-rest position.
- ABS head & leg side panels.
- Holder for urine bag.
- Four location for I.V. rod.
- Pre-treated and epoxy powder coated.



Overall size: 2090 L x 914 W x 558 H mm.

PPM-221 Semi-Fowler Bed Manual Deluxe

- Main Frame made of CRCA pipe & two sectional perforated CRCA sheet.
- Manual crank system to obtain back-rest position.
- S.S. Head and leg bows with laminated wooden panel.
- Holder for urine bag.
- Four location for I.V. rod.
- Pre-treated and epoxy powder coated.
- Positions obtained by Crank System:
 - Back- rest elevation



1

Crank

1

Functions

Overall size: 2090 L x 914 W x 558 H mm.



PPM-222 Semi-Fowler Bed Manual Standard



- Main Frame made of CRCA pipe & two sectional perforated CRCA sheet.
- Manual crank system to obtain back-rest position.
- S.S. designed head and leg bows.
- Holder for urine bag.
- Four location for I.V. rod.
- Pre-treated and epoxy powder coated.
- Positions obtained by Crank System:
 - Back- rest elevation



1

Crank

1

Functions

Overall size: 2090 L x 914 W x 558 H mm.

PPM-223 Pediatric Bed



- Main Frame made of CRCA pipe & perforated CRCA sheet.
- Powder coated head & leg side bows.
- Holder for urine bag.
- Four location for I.V. rod.
- Pre-treated and epoxy powder coated.

Overall Size : 1375 L x 762 W x 610 H mm

PPM-224 Attendant Bed-Cum-Chair

- Main Frame made of CRCA pipe and Sheet.
- Easily foldable.
- Cushioned seat and back.



PPM-225 Attendant Bed Standard

- Main frame made of CRCA pipe & perforated CRCA sheet.
- Pre-treated and epoxy powder coated.

Overall size: 1830 L x 610 W x 458 H mm



PPM-226 Attendant Bed Deluxe



- Main Frame made of CRCA pipe & perforated CRCA sheet.
- S.S. designed head and leg bows.
- Pre-treated and epoxy powder coated.

Overall size: 1830 L x 610 W x 458 H mm.

PPM-227 Motorized Labour / Delivery Room Bed

Labour Delivery Beds

- ┆ Main frame made of heavy CRCA pipe
- ┆ Three sectional top made of bakelite Sheet with mattress.
- ┆ Advanced linear actuator to obtain all positions.
- ┆ Leg end section can slide under the main section.
- ┆ Provided with a pair of lithotomy crutches.
- ┆ S.S. Telescopic I.V. rod.
- ┆ Detachable S.S. tray.
- ┆ Positions obtained by hand remote:
 - (1) Hi-Low (2) Back-rest elevation
 - (3) Trendlenburg & reverse trendlenburg



Overall size: 1880 L x 660 W x 608/786 H (adjustable) mm.



PPM-228 S.S. Labour Table Sliding Type

- ┆ Main frame made of S.S. tubular pipe & S.S. sheet.
- ┆ Three sectional top, back-rest adjustable by ratchet system.
- ┆ Trendelenburg position obtain by pneumatic pump system.
- ┆ Provided with S.S. side safety railing, one pair hand grip, one S.S.I.V. rod.
- ┆ Middle section with "U" cut, leg section can slide under main frame.
- ┆ Sliding S.S. douche tray.
- ┆ Leg fitted on four rubber stumps.
- ┆ **Overall size:** 1828 L x 685 W x 762 H mm.





Main frame made of CRCA
pipe & Sheet

Overall size: 1828 L x 558 W x 812 H mm.



- | Main frame made of heavy CRCA pipe & sheet.
- | Back rest on ratchet.
- | Top can be trendelenburg by crank mechanism.

Overall size: 1828 L x 610 W x 812 H mm.



PPM-232

Patient Gynae Examination Couch



- | Body frame work made of CRCA sheet.
- | Two sectional top with mattress.
- | Headrest adjustable by gas pneumatic pump.
- | Fitted with three boxes and three drawers.
- | Foot step in middle at bottom side, can be slide inner side.
- | Pre-treated and epoxy powder coated.
- | **Overall size:** 1828 L x 558 W x 812 H mm.

PPM-233

Patient Examination Table Super



- | Body frame work made of CRCA Pipe & sheet.
- | Two sectional top with mattress.
- | Headrest adjustable by gas spring pump.
- | Fitted with boxes & drawers.
- | Pre-treated and epoxy powder coated.
- | **Overall size:** 1828 L x 508 W x 812 H mm.

PPM-234

Motorized Patient Examination Table Royal

- | Body frame work made of CRCA Pipe & sheet.
- | Two sectional top with mattress.
- | Headrest adjustable by gas spring pump.
- | Height Adjustment by Electric Actuator.
- | Pre-treated and epoxy powder coated.
- | **Overall size:** 1828 L x 558 W x 558-762 H mm.



PPM-235

Patient Examination Table Deluxe

Examination Tables



- Main frame made of CRCA pipe & CRCA sheet.
- Top with mattress, one box for storage.
- Pre-treated and epoxy powder coated.

Overall Size: 1828 L x 508 W 812 H mm.

PPM-236

Examination Table Plain

- 183L x 60 W x 81 H cms
- Frame work of CRC tubes.
- Legs fitted with PVC stumps.
- 5 cms foam cushioned top covered with rexine.
- Pre-treated and Epoxy Powder Coated



PPM-237

Patient Examination Table Standard



- Main frame made of CRCA pipe & CRCA sheet.
- Two sectional top with mattress, head raise on ratchet system.
- Pre-treated and epoxy powder coated.

Overall Size: 1828 L x 558 W 812 H mm.

PPM-238

Examination Cum Gynae Table



- Overall Approx. Size : 1830 mm L x 600 mm W x 760 mm H
- Frame work made of MS CRC tubes
- Two section cushioned top.
- Complete with the pair of S.S. lithotomy rod made of 12 mm S.S. Rod
- Back rest adjustable by hand leve.
- Epoxy powder coated finish.

PPM-239 Folding Stretcher 2 Fold

Patient Transfer Trolleys

- Unfolded Size : 221 L x 56 W x 15 H cms
- Folded Size : 110L x 18 W x 11 H cms
- Net wt. : 5 Kg
- Gross wt. : 6 Kg
- Load Bearing Capacity : 159 Kg



PPM-240 Folding Stretcher (CANVAS)

- 213L x 56 W x 15 H cms
- M.S. Pole width wise fold.



PPM-241 Emergency Trauma Trolley Manual

- Main frame made of rectangular heavy CRCA pipe.
- Height adjustment by smooth crank mechanism.
- Trolley mobile on 150 mm double castors/wheels.
- Pneumatic mechanism for trendelenburg / reverse trendelenburg positions.
- Two sectional CRCA sheet top.
- Head raise by ratchet system.
- Provided with swing away type safety railing, utility tray, cylinder cage & S.S.I.V. rod
- Pre-treated and epoxy powder coated.
- Overall size:** 1980 L x 660 W x 608 H mm. 608/ 880 (adjustable height) mm.



PPM-242 S.S. Patient Stretcher Trolley Super



Overall size: 2130 L x 610 W x 812 H mm.

- Complete made of S.S. pipe & S.S. sheet.
- Two sectional Detachable top and head raise by ratchet system.
- Mobile on 150 mm castors/wheels.
- Provided with swing away side safety railing, utility tray and cylinder cage.
- One S.S.I.V. rod.

PPM-243 Patient stretcher Trolley Royal



Overall size: 2130 L x 610 W x 812 H mm.

- Complete made of CRCA pipe and sheet.
- Two sectional Detachable top and head raise by ratchet system.
- ABS side safety railing.
- Mobile on 150 mm castors/wheels.
- One S.S.I.V. rod.

PPM-244 S.S. Patient Stretcher Trolley Standard

Complete made of S.S. material.

Overall size: 2130 L x 558 W x 812 H mm.



PPM-245 Patient Stretcher Trolley Standard

- Complete made of CRCA material.
- Powder coated.

Overall size: 2130 L x 558 W x 812 H mm.



PPM-246 Stretcher on Trolley With Matters

- Overall Approx, Size : 210 L x 56 W x 81 H cms.
- Frame work made of Tubular MS pipe
- Swing away type safety side Railing.
- Adjustable I.V. Rod, Utility Tray, Cylinder Cage
- Foam Padded top
- Trolley mounted on 15 cms dia castors two with brakes
- Epoxy powder coated Finish.



PPM-247 Emergency Trauma Trolley Hydraulic

- Main frame made of rectangular heavy CRCA pipe.
- Height adjustment by foot operated hydraulic pump.
- Trolley mobile on 150 mm castors/wheels.
- Two sectional X-ray translucent top with mattress & tray for holding X-ray cassettes.
- Pneumatic mechanism for trendelenburg / reverse trendelenburg positions.
- Head raise by ratchet system.
- Provided with S.S. swing away side safety railing, utility tray, cylinder cage & S.S.I.V. rod.
- Pre-treated and epoxy powder coated.
- Overall size:** 1980 L x 660 W x 608 H mm. 608/880 (adjustable height) mm.



PPM-248 Ambulance Stretcher

- Low Weight, Strong structure, lovely design, good arts and crafts, easy antiseptis, small size, convenient to use.
- Utilizes high precision mechanical transmission.
- Can be used automatically folded through the left and right hand control handle.
- Made of high quality aluminium alloy tubes.
- Dimensions:
 - A-high Position : 1900 x 560 x 900 mm
 - B-Low Position : 1900 x 560 x 280 mm
- Load weight : upto 120 Kg
- Product Weight : 40 Kg
- Diameter of the castors : 125 mm
- Applicable for various kind of hospitals, emergency centres, ambulances and battle fields.



PPM-249 Electric Operation Table C.Arm Compitable



Lateral Tilt

PPM-250 Orthopaedic Attachment Table



PPM-251 Operation & Examination Table
(Hi-Lo) (72" x 20" x 32")

- Tubular Frame work on 10 cms castors with brakes. This is an exceptionally fine surgical table. With facility of height adjustable by crank mechanism. Offering a very comprehensive range of positions viz, "straight", trendlenburg & reverse trendlenburg positions, chair, lithotomy position etc.



PPM-252 S.S. Linen Trolley Double



- Complete made of S.S.
- One Canvas Bag.
- Mobile on 100 mm castors

PPM-253 S.S. Linen Trolley



- Complete made of S.S.
- One Canvas Bag.
- Mobile on 100 mm castors

PPM-254 S.S. Linen Trolley with Plastic Container



- Complete made of S.S.
- One Plastic Container
- Mobile on 100 mm castors

PPM-255 Cylinder Trolley Small



- Frame made of tubular CRCA pipe.
- Mobile on two 100 mm. castors/wheels.
- Pre-treated and epoxy powder coated.

PPM-256 Cylinder Trolley Large



PPM-257 Three Fold Screen



- Mobile on 50 mm castors/wheels.
- Provided with superior quality curtain.
- Pre-treated and epoxy powder coated.

PPM-258 S.S. Kick Bucket



- Complete made of S.S.
- Mobile on 50 mm. wheels.

PPM-259 S.S. I.V. Stand



- Five legs fiber base.
- S.S. Tubular pipe and two hook I.V. rod.
- Spring loaded for safety of hand.

PPM-260 S.S. Basin Stand



- Five legs fiber base.
- S.S. Tubular pipe and one basin.

PPM-261

S.S. Rectangular Stool



- Complete made of S.S.
- Overall size:** top 305 x 305 and 456 H mm.

Ward/ O.T. Equipment

PPM-262

Rectangular Stool
with S.S. Top



- Frame made of CRCA pipe & with S.S. top.
- Pre-treated and epoxy powder coated.
- Overall size:** top 305 x 305 mm and Height:- 456 mm.

PPM-263

Bio Waste Trolley



- SS Pipe Frame
- Three Container
- Mobile on 75 mm castor/wheels.

PPM-264

ECG Trolley



- Made of CRCA Pipe & CRCA Sheet
- Three Shelves, Top Shelf in SS
- Mobile on 50 mm castor/wheels.
- One SS IV Rod

Shelf Size: 458 x 458 mm.

PPM-265 Bed Side Cabinet Royal



- ABS moulded material construction.
- Having one box and one drawer.
- Mobile on 50 mm. castors/wheels.

Top Size:- 406 x 406
Height : 815 mm.

Ward/ O.T. Equipment

PPM-266

Bed Side Cabinet Super



- CRCA sheet construction.
- Having one box and one drawer.
- Fitted with membrane/ABS pressed top & front side.

Top Size:- 406 x 406
Height : 815 mm.

PPM-267

S.S. Bed Side Cabinet Star 3



- Main frame made of S.S. pipe & S.S. sheet.
- Three S.S. shelves with three side railing.
- Top with three coloured plastic bins.
- Four legs with rubber stumps.

Top Size:- 406 x 406
Height : 815 mm.

PPM-268

Bed Side Cabinet Star



- Main frame made of S.S. pipe & S.S. sheet.
- Three S.S. shelves with three side railing.
- Four legs with rubber stumps.

Top Size:- 406 x 406
Height : 815 mm.

PPM-269

Bed Side Cabinet Deluxe



- CRCA sheet construction.
- Having one box and one drawer.
- S.S. top.
- Pre-treated and epoxy powder coated.

Top Size:- 406 x 406
Height : 815 mm.

PPM-270

Bed Side Cabinet Standard



- CRCA sheet construction.
- Having one box.
- Pre-treated and epoxy powder coated.
- S.S. top.
- Four legs with rubber stumps.

Top Size:- 406 x 406
Height : 815 mm.

PPM-271 Cardiac Table Royal



- Rectangular frame work mounted on 50 mm castors/wheels.
- ABS top adjustable by pneumatic gas spring pump.
- Pre-treated and epoxy powder coated.

PPM-272 Cardiac Table Super



- Rectangular frame work mounted on 50 mm castors/wheels.
- ABS top adjustable by crank system.
- Pre-treated and epoxy powder coated.

PPM-273 Cardiac Table Deluxe



- Rectangular frame work mounted on 50 mm castors/wheels.
- Wooden top in sky blue colour, adjustable by side knob system.
- Pre-treated and epoxy powder coated.

PPM-274 Cardiac Table Standard



- Rectangular frame work mounted on 50 mm castors/wheels.
- Top in wooden / sky blue colour.
- Pre-treated and epoxy powder coated.



- CRCA sheet construction.
- Four horizontal S.S. shelves.
- Lockable door.
- Pre-treated and epoxy powder coated.
- Overall size:- 1220 H x 304 D x 610 W mm.

PPM-276 S.S. Monitor Trolley



- SS Construction.
- Four shelves.
- Top Shelf with Railing.
- Four Set Electric Switches.

PPM-277 S.S. Crash Cart Trolley



- Complete made of S.S. pipe & S.S. sheet.
- Six running smooth drawers and 6 hangout colored bins.
- One S.S. I.V. rod.
- Mobile on 125 mm special castors/wheels with buffers.

PPM-278 O.T. Drug Trolley



- Complete made of S.S. pipe.
- 12 big & 24 small hangout colored bins.
- Mobile on 125 mm special castors/wheels.

PPM-279 CPR Crash Cart



PPM-280 Four Sectional Mattress

Ward/ O.T. Equipment



- | Four Sectional Mattress
- | Suitable for ICCU/Fowler Beds
- | Best Quality Rexine both sides.
- | Fine Stitching & Super Quality Foam

PPM-281 Two Sectional Mattress



- | Two Sectional Mattress
- | Suitable for Semi Fowler Beds
- | Best Quality Rexine both sides.
- | Fine Stitching & Super Quality Foam

PPM-282 One Sectional Mattress



- | One Sectional Mattress
- | Suitable for Semi Fowler Beds
- | Best Quality Rexine both sides.
- | Fine Stitching & Super Quality Foam

PPM-283 Ceiling Operation Light Double Some
7+4 Reflectors



PPM-284 Mobile Light



- Mobile Light 4 Reflector
- Halogen Spring Balance

PPM-285 Ceiling Light



PPM-286 LED4 Mobile



- Intensity : 1, 20, 000Lux +10%
- Size of Light field : 12-13 cm
- Colour Temp. : 4000-5000K
- Colour Reduction index : 90
- LED Life : >45000 Hrs.
- Diameter of Light : 500mm
- Power Supply : 220V/50Hz AC
- Focusing : Adjustable
- With Heat Synchronisation

PPM-287 LED 4+4



- Intensity : 1, 50, 000Lux +10%
- Size of Light field : 12-13 cm
- Colour Temp. : 4000-5000K
- Colour Reduction index : 90
- LED Life : >45000 Hrs.
- Diameter of Light(External) : 500mm x2
- Brightness Control : Yes
- Power Supply : 220V/50Hz AC
- Focusing : Adjustable
- With Heat Synchronisation



PPM-289 Steel Manual Wheel Chair



PPM-290 Invalid Wheel Chair



PPM-291 Commode Walker



PPM-292 Commode Stool



PPM-293 Invalid Wheel Chair (Commode)




A

B

PPM-294 Invalid Crutches



A



B



C

PPM-295 Invalid Sticks

PPM-296 High Vacuum-High Flow Suction Unit [HI-VAC PLUSS(60-90 LTR / MIN)]



- Housing : Plastic moulded cabinet
- Capacity : -600/-700 mm Hg 10 mm regulable, flutter free vacuum control knob, 60/90 hrs/min
- Pump Type : Double piston pump
- Jars : 2 x 2.5 ltr. wide mouthed (Polycarbonate) with changeover lever. Provided with handle for hygiene while emptying/cleaning, safety jar with mechanical/electronic overflow motor shut off system and autoclavable bacterial filter.
- Tubing : 10 mm ID x 2 mtr. (PVC)
- Vacuum Gauge : Bourden type 6.25 cm dia 0-760mm Hg calibration. : 230 V AC, 50/60 Hz, 580 watts.
- Power : 230V AC, 50 / 60Hz, 580 watts.
- Noise Level : 60 dB A_± 3
- Dimension & Weight : 46 x 32 x 86 cms. 22 kg.

PPM-297 High Vacuum-High Flow Suction Unit [HI-VAC PLUSS(60-90 LTR / MIN)]



PPM-298 High Vacuum-High Flow Suction Unit HI-VAC



- Housing : MS Powder coated cabinet with SS top & pump cooling system.
- Capacity : -700 mm Hg $\pm$ 10 mm regulable, flutter free vacuum control knob, 45ltrs / min
- Pump Type : Double piston pump
- Jars : Wide mouthed 2 x 2 Ltrs. (Polycarbonate) with self sealing bungs and mechanical overflow safety device.
- Tubing : 10 mm ID x 2 mtr. (PVC)
- Vacuum Gauge : Bourden type 10 cm dia 0-760mm Hg calibration.
- Power : 230 V AC, 50 / 60 Hz 430 watts. (110 V request)
- Noise Level : 50 dB A + 3 Almost whisper.
- Dimension & Weight : 50 x 38 x 70 cms. 40kg



PPM-299 Suction Apparatus



PUL PUL MANUFACTURER

A Complete Range of Hospital Furniture

Factory :

Datalpara, Natun Basti, Guwahati-25
Phone : 94351 48700, 81348 48700
email Id : sarmapulpul@gmail.com

Office :

Prafulla Bora Path, Rupnagar, House No. 2
Guwahati-32, Phone : 94351 48700, 81348 48700
email Id : sarmapulpul@gmail.com
Visit us : www.indiamart.com/pulpulmanufacturer, gem.gov.in
(Brand Name, PUL PUL)